

## Drugs, Supplies, Lab Tests and Materials Used in Post-Abortion Care

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Name of Input	Units	Number	Times per Day	Days per Case	Total Input Used during Treatment	Number of Uses	Notes	Standard: G=Generally used R=Rarely used N=Never used
<b>A. Complication: Shock [Treatment: Restoration of Fluids]</b>								
<b>1. Management of respiration</b>								
Oxygen	100 l	4.5	1	1	450 l		1 hour at 6-8l/minute (450 litres)	
(Other)								
(Other)								
<b>2. Control of bleeding</b>								
Ergometrine tablets								
Ergometrine injection								
Oxytocin 10 IU/ml, injection	1 ml							
(Other)								
(Other)								
(Other)								
<b>3. Intravenous fluid replacement</b>								
Intravenous infusion set, disposable with needle	1 set							
Water for injection	5 ml							
Water for injection	10 ml							
Sodium lactate (Ringer's) + set	500 ml	6	1	1	3 l		fluid balance	
Glucose in water + set, 5%	500 ml							
Glucose with sodium chloride								
Potassium chloride								
Sodium chloride								
(Other)								
(Other)								
(Other)								
<b>4. Blood transfusion</b>								
Blood, one unit	1 unit	2	1	1	2 units		if Hb<5g/dl	
Blood giving set with needle, disposable								
Blood group test								
Blood lancet, disposable								
(Other)								
(Other)								
(Other)								

## Drugs, Supplies, Lab Tests and Materials Used in Post-Abortion Care

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Name of Input	Units	Number	Times per Day	Days per Case	Total Input Used during Treatment	Number of Uses	Notes	Standard: G=Generally used R=Rarely used N=Never used
<b>5. Analgesics</b>								
Acetylsalicylic acid								
Pethidine, injection	50 mg							
Paracetamol, tablets	100 mg							
Paracetamol, tablets	500 mg	1	3	2	6		pain management	
Meperidine, injection	50 mg						analgesic	
(Other)								
(Other)								
(Other)								
<b>6. Anaesthetics/Sedation</b>								
Morphine								
Atropine 1mg/ml, injection	1 ml							
Diazepam 5mg/ml, injection	2 ml							
Lidocaine 1%, injection	50 ml							
Lidocaine 2%, injection	50 ml							
Lidocaine 5% spinal heavy (with dextrose 7.5%), injection	2 ml							
Fentanyl injection							analgesic/anaesthetic	
(Other)								
(Other)								
(Other)								
<b>7. Lab tests</b>								
Haemoglobin test		1	1	1	1			
Blood group test		1	1	1	1		for blood transfusion	
Urine test		1	1	1	1			
Blood collecting set (120ml acid-citrate-dextrose)							Collection and storage of blood	
Blood lancet, disposable		1	1	1				
Gauze pad, sterile, 12ply 7x7x6		1	1	1				
Bag, urine collection, 2000ml		1	1	1				
(Other)								
(Other)								
(Other)								

Drugs, Supplies, Lab Tests and Materials Used in Post-Abortion Care								
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Name of Input	Units	Number	Times per Day	Days per Case	Total Input Used during Treatment	Number of Uses	Notes	Standard: G=Generally used R=Rarely used N=Never used
<b>B. Complication: Sepsis [Treatment: Antibiotics]</b>								
<b>1. Antibiotics</b>								
Ampicillin, injection	1 g IV							
Ampicillin, tablets	500 mg	1	6	2			antibiotics (first 2 days IV)	
Gentamicin 40mg/ml, injection	2 ml	1	3	2			antibiotics (first 2 days IV)	
Metronidazole	1 g IV	1	2	2			antibiotics (first 2 days IV)	
Metronidazole, tablets	250 mg						"Flagyl"	
Doxycycline, tablets	100 mg	1	2	10			follow-up treatment	
Benzathine benzylpenicillin, injection	2.4M IU							
Procaine benzylpenicillin								
Chloramphenicol, injection	1 g							
Erythromycin, capsule	250 mg							
Erythromycin syrup	50 mg/kg							
Tetracycline								
Trimethoprim-sulphamethoxazole								
PenicillinG								
<b>2. Intravenous fluid replacement</b>								
Intravenous infusion set, disposable with needle	1 set							
Water for injection	5 ml							
Water for injection	10 ml							
Sodium lactate (Ringer's) + set	500 ml	6	1	1	3 l		fluid balance	
Glucose in water + set, 5%	500 ml							
(Other)								
(Other)								
(Other)								
<b>3. Other</b>								
Tetanus vaccine, injection		1	1	1			If uncertainty about vac. record	
(Other)								
<b>C. Complication: Incomplete Abortion [Treatment: Uterine Evacuation]</b>								

## Drugs, Supplies, Lab Tests and Materials Used in Post-Abortion Care

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Name of Input	Units	Number	Times per Day	Days per Case	Total Input Used during Treatment	Number of Uses	Notes	Standard: G=Generally used R=Rarely used N=Never used
<b>1. Anaesthetics/Sedation</b>								
Atropine 1mg/ml, injection	1 ml							
Diazepam 5mg/ml, injection	2 ml							
Lidocaine 1%, injection	50 ml							
Lidocaine 2%, injection	50 ml							
Lidocaine 5% spinal heavy (with dextrose 7.5%), injection	2 ml							
Fentanyl injection							analgesic/anaesthetic	
(Other)								
(Other)								
(Other)								
<b>2. Analgesics</b>								
Acetylsalicylic acid								
Pethidine, injection	50 mg							
Paracetamol, tablets	100 mg							
Paracetamol, tablets	500 mg	1	3	2	6		pain management	
Fentanyl injection							analgesic/anaesthetic	
Meperidine, injection	50 mg						analgesic	
(Other)								
(Other)								
(Other)								
<b>3. Intravenous fluid replacement</b>								
Intravenous infusion set, disposable with needle	1 set							
Water for injection	5 ml							
Water for injection	10 ml							
Sodium lactate (Ringer's) + set	500 ml	6	1	1	3 l		fluid balance	
Glucose in water + set, 5%	500 ml							
Glucose with sodium chloride								
Potassium chloride								
Sodium chloride								
(Other)								

## Drugs, Supplies, Lab Tests and Materials Used in Post-Abortion Care

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Name of Input	Units	Number	Times per Day	Days per Case	Total Input Used during Treatment	Number of Uses	Notes	Standard: G=Generally used R=Rarely used N=Never used
(Other)								
(Other)								
<b>4. Control of bleeding</b>								
Ergometrine tablets								
Ergometrine injection								
Oxytocin 10 IU/ml, injection	1 ml							
(Other)								
(Other)								
(Other)								
<b>5. D &amp; C evacuation</b>								
Syringe, disposable+needle+swab	5 ml							
Syringe, disposable+needle+swab	10 ml							
Syringe	20 ml							
Syringe	50 ml						2nd trimester evacuation	
Needle	22-gauge						Spinal (paracervical block)	
Needle	25-gauge						Standard (intracervical block)	
Needle	21-gauge						Drug administration	
Long needle with stylet, 10 cm	18-gauge						2nd trimester evacuation	
Long needle with stylet, 11 cm	14-gauge						2nd trimester evacuation	
Sterile gloves								
Cotton balls								
Gauze sponges								
Cotton swabs							2nd trimester evacuation	
Ethanol							Skin disinfectants	
2-propanol							Skin disinfectants	
Povidone iodine solution 10%							Skin disinfectants	
Silver nitrate sticks							Haemostatic chemicals	
Monsel's solution							Haemostatic chemicals	
Long needle holder								
Silicone lubricant								
Epinephrine, ampoule 5 µg (1 : 200,000)	20 ml						2nd trimester evac.; adrenaline	
Prostaglandin							2nd trimester evacuation	

Drugs, Supplies, Lab Tests and Materials Used in Post-Abortion Care								
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Name of Input	Units	Number	Times per Day	Days per Case	Total Input Used during Treatment	Number of Uses	Notes	Standard: G=Generally used R=Rarely used N=Never used
Fluids for instillation							2nd trimester evacuation	
(Other)								
(Other)								
(Other)								
<b>6. Supplies for MVA evacuation</b>								
Cannula, 18G, disposable								
Cannula, 22G, disposable								
Vacuum syringes (single or double valve)								
MVA adapters								
(Other)								
(Other)								
(Other)								
<b>7. Lab tests</b>								
Haemoglobin test		1	1	1	1			
Blood group test		1	1	1	1		for blood transfusion	
Urine test		1	1	1	1			
Blood collecting set (120ml acid-citrate-dextrose)							Collection and storage of blood	
Blood lancet, disposable		1	1	1				
Gauze pad, sterile, 12ply 76x76		1	1	1				
Bag, urine collection, 2000ml		1	1	1				
(Other)								
(Other)								
(Other)								
<b>D. Complication: Cervical and Vaginal Lacerations [Treatment: Surgical Repair]</b>								
<b>1. Anaesthetics/Sedation</b>								
Atropine 1mg/ml, injection	1 ml							
Diazepam 5mg/ml, injection	2 ml							
Lidocaine 1%, injection	50 ml							
Lidocaine 2%, injection	50 ml							

## Drugs, Supplies, Lab Tests and Materials Used in Post-Abortion Care

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Name of Input	Units	Number	Times per Day	Days per Case	Total Input Used during Treatment	Number of Uses	Notes	Standard: G=Generally used R=Rarely used N=Never used
Lidocaine 5% spinal heavy (with dextrose 7.5%), injection	2 ml							
Fentanyl injection							analgesic/anaesthetic	
(Other)								
(Other)								
(Other)								
<b>2. Analgesics</b>								
Acetylsalicylic acid								
Pethidine, injection	50 mg							
Paracetamol, tablets	100 mg							
Paracetamol, tablets	500 mg	1	3	2	6		pain management	
Fentanyl injection							analgesic/anaesthetic	
Meperidine, injection	50 mg						analgesic	
(Other)								
(Other)								
(Other)								
<b>3. Intravenous fluid replacement</b>								
Intravenous infusion set, disposable with needle	1 set							
Water for injection	5 ml							
Water for injection	10 ml							
Sodium lactate (Ringer's) + set	500 ml	6	1	1	3 l		fluid balance	
Glucose in water + set, 5%	500 ml							
Glucose with sodium chloride								
Potassium chloride								
Sodium chloride								
(Other)								
(Other)								
(Other)								
<b>4. Control of bleeding</b>								
Ergometrine tablets								
Ergometrine injection								

## Drugs, Supplies, Lab Tests and Materials Used in Post-Abortion Care

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Name of Input	Units	Number	Times per Day	Days per Case	Total Input Used during Treatment	Number of Uses	Notes	Standard: G=Generally used R=Rarely used N=Never used
Oxytocin 10 IU/ml, injection	1 ml							
(Other)								
(Other)								
(Other)								
<b>5. Operating theater supplies</b>								
Syringe, disposable+needle+swab	5 ml							
Syringe, disposable+needle+swab	10 ml							
Syringe	20 ml							
Syringe	50 ml						2nd trimester evacuation	
Needle	22-gauge						Spinal (paracervical block)	
Needle	25-gauge						Standard (intracervical block)	
Needle	21-gauge						Drug administration	
Long needle with stylet, 10 cm	18-gauge						2nd trimester evacuation	
Long needle with stylet, 11 cm	14-gauge						2nd trimester evacuation	
Suture, catgut + needle		1	1	1			repair of lacerations	
Suture, silk, 2 x 0.75m							Silk sutures in strands	
Sterile gloves								
Cotton balls								
Gauze sponges								
Cotton swabs							2nd trimester evacuation	
Ethanol							Skin disinfectants	
2-propanol							Skin disinfectants	
Povidone iodine solution 10%							Skin disinfectants	
Silver nitrate sticks							Haemostatic chemicals	
Monsel's solution							Haemostatic chemicals	
Long needle holder								
Silicone lubricant								
Epinephrine, ampoule 5 µg (1 : 200,000)	20 ml						2nd trimester evac.; adrenaline	
Prostaglandin							2nd trimester evacuation	
Fluids for instillation							2nd trimester evacuation	
Suture, catgut + needle		1	1	1			repair of lacerations	
Suture, silk, 2 x 0.75m							Silk sutures in strands	



## Drugs, Supplies, Lab Tests and Materials Used in Post-Abortion Care

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Name of Input	Units	Number	Times per Day	Days per Case	Total Input Used during Treatment	Number of Uses	Notes	Standard: G=Generally used R=Rarely used N=Never used
Tetanus vaccine, injection		1	1	1			If uncertainty about vac. record	
(Other)								
(Other)								
(Other)								
(Other)								
(Other)								
<b>6. Lab tests</b>								
Haemoglobin test		1	1	1	1			
Blood group test		1	1	1	1		for blood transfusion	
Urine test		1	1	1	1			
Blood collecting set (120ml acid-citrate-dextrose)							Collection and storage of blood	
Blood lancet, disposable		1	1	1				
Gauze pad, sterile, 12ply 76x76		1	1	1				
Bag, urine collection, 2000ml		1	1	1				
(Other)								
(Other)								
(Other)								
<b>E. Complication: Uterine Lacerations [Treatment: Surgical Repair]</b>								
<b>1. Anaesthetics/Sedation</b>								
Atropine 1mg/ml, injection	1 ml							
Diazepam 5mg/ml, injection	2 ml							
Lidocaine 1%, injection	50 ml							
Lidocaine 2%, injection	50 ml							
Lidocaine 5% spinal heavy (with dextrose 7.5%), injection	2 ml							
Fentanyl injection							analgesic/anaesthetic	
Thiopental, injection + diluent	1 g	1	1	1				
Suxamethonium 50mg/ml, injection	2 ml	1	1	1				
Sodium citrate, 0.3mol/l, 30ml		1	1	1			Antacid	

## Drugs, Supplies, Lab Tests and Materials Used in Post-Abortion Care

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Name of Input	Units	Number	Times per Day	Days per Case	Total Input Used during Treatment	Number of Uses	Notes	Standard: G=Generally used R=Rarely used N=Never used
(Other)								
(Other)								
(Other)								
<b>2. Analgesics</b>								
Acetylsalicylic acid								
Pethidine, injection	50 mg							
Paracetamol, tablets	100 mg							
Paracetamol, tablets	500 mg	1	3	2	6		pain management	
Fentanyl injection							analgesic/anaesthetic	
Meperidine, injection	50 mg						analgesic	
(Other)								
(Other)								
(Other)								
<b>3. Intravenous fluid replacement</b>								
Intravenous infusion set, disposable with needle	1 set							
Water for injection	5 ml							
Water for injection	10 ml							
Sodium lactate (Ringer's) + set	500 ml	6	1	1	3 l		fluid balance	
Glucose in water + set, 5%	500 ml							
Glucose with sodium chloride								
Potassium chloride								
Sodium chloride								
(Other)								
(Other)								
(Other)								
<b>4. Control of bleeding</b>								
Ergometrine tablets								
Ergometrine injection								
Oxytocin 10 IU/ml, injection	1 ml							
(Other)								
(Other)								

## Drugs, Supplies, Lab Tests and Materials Used in Post-Abortion Care

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Name of Input	Units	Number	Times per Day	Days per Case	Total Input Used during Treatment	Number of Uses	Notes	Standard: G=Generally used R=Rarely used N=Never used
(Other)								
<b>5. Operating theater supplies</b>								
Syringe, disposable+needle+swab	5 ml							
Syringe, disposable+needle+swab	10 ml							
Syringe	20 ml							
Syringe	50 ml						2nd trimester evacuation	
Needle	22-gauge						Spinal (paracervical block)	
Needle	25-gauge						Standard (intracervical block)	
Needle	21-gauge						Drug administration	
Long needle with stylet, 10 cm	18-gauge						2nd trimester evacuation	
Long needle with stylet, 11 cm	14-gauge						2nd trimester evacuation	
Suture, catgut + needle		1	1	1			repair of lacerations	
Suture, silk, 2 x 0.75m							Silk sutures in strands	
Sterile gloves								
Cotton balls								
Gauze sponges								
Cotton swabs							2nd trimester evacuation	
Ethanol							Skin disinfectants	
2-propanol							Skin disinfectants	
Povidone iodine solution 10%							Skin disinfectants	
Silver nitrate sticks							Haemostatic chemicals	
Monsel's solution							Haemostatic chemicals	
Long needle holder								
Silicone lubricant								
Epinephrine, ampoule 5 µg (1 : 200,000)	20 ml						2nd trimester evac.; adrenaline	
Prostaglandin							2nd trimester evacuation	
Fluids for instillation							2nd trimester evacuation	
Suture, catgut + needle		1	1	1			repair of lacerations	
Suture, silk, 2 x 0.75m							Silk sutures in strands	
Suture, catgut chromic 0, 150cm		1	1	1			Suture, interior	
Suture, catgut chromic 1, 150cm		1	1	1			Suture, interior	
Suture, silk, 2 x 0.75m		4	1	1			Suture, exterior	

## Drugs, Supplies, Lab Tests and Materials Used in Post-Abortion Care

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Name of Input	Units	Number	Times per Day	Days per Case	Total Input Used during Treatment	Number of Uses	Notes	Standard: G=Generally used R=Rarely used N=Never used
Suture needle, assorted sizes, round body		3	1	1				
Drapes (gowns)								
Blood, one unit								
Nitrous oxide, 100 litres		1	1	1			1 hr at 2 litres/minute	
Oxygen, 100 litres		1	1	1			1 hr at 1 litre/min + pre-	
Halothane gas, 5ml		1	1	1				
Tetanus vaccine, injection		1	1	1			If uncertainty about vac. record	
(Other)								
(Other)								
(Other)								
(Other)								
(Other)								
<b>6. Supplies for Laparotomy</b>								
Surgeon's gloves								
Bundles of abdominal swabs with tapes	6 per bundle						Standard laparotomy set	
Vulval pads							Standard laparotomy set	
dressng towels							Standard laparotomy set	
Trolley towels							Standard laparotomy set	
Abdominal sheets							Standard laparotomy set	
Bundles of radiopaque gauze	6 per bundle						Standard laparotomy set	
Plain gauze							Standard laparotomy set	
Cotton swabs							Standard laparotomy set	
Lithotomy set							Standard laparotomy set	
Silk sutures in strands	0.5 m long						Standard laparotomy set	
(Other)								
(Other)								
<b>7. Lab tests</b>								
Haemoglobin test		1	1	1	1			
Blood group test		1	1	1	1		for blood transfusion	
Urine test		1	1	1	1			
Blood collecting set (120ml acid-citrate-dextrose)							Collection and storage of blood	

### Drugs, Supplies, Lab Tests and Materials Used in Post-Abortion Care

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Name of Input	Units	Number	Times per Day	Days per Case	Total Input Used during Treatment	Number of Uses	Notes	Standard: G=Generally used R=Rarely used N=Never used
Blood lancet, disposable		1	1	1				
Gauze pad, sterile, 12ply 76x76		1	1	1				
Bag, urine collection, 2000ml		1	1	1				
(Other)								
(Other)								
(Other)								